
Chapter 1

Laws, Regulations, Policy, and Water Quality Criteria

Contents:	651.0100	Federal laws	1-1
	(a)	Introduction	1-1
	(b)	Air	1-1
	(c)	Water	1-1
	651.0101	Federal regulations and rules	1-3
	(a)	National Pollutant Discharge Elimination System	1-3
	651.0102	State responsibilities	1-5
	651.0103	State laws and regulations	1-5
	651.0104	Owner/producer responsibilities	1-6
	651.0105	Safety	1-6
	651.0106	Policies — USDA and SCS	1-7
	(a)	USDA nonpoint source water quality policy	1-7
	(b)	USDA policy for ground water quality	1-7
	(c)	SCS water quality policy	1-7
	(d)	SCS planning policy on control of pollutants	1-8
	(e)	Policy on land application of municipal sewage sludge	1-8
	(f)	Field Office Technical Guide policy	1-8
	(g)	SCS flood plain and wetland policy	1-9
	(h)	Agricultural waste management practice standards	1-9
	651.0107	Water quality criteria and standards	1-10
	(a)	Water quality criteria	1-10
	(b)	National water quality standards	1-12
	651.0108	Agricultural impacts on the use of water	1-13
	(a)	Agricultural waste and its impact on water use	1-13
	(b)	Impacts on domestic water supplies	1-13
	(c)	Impacts on industrial water supplies	1-15
	(d)	Impacts on agricultural uses	1-15
	(e)	Impacts on recreation	1-17
	(f)	Impacts on aesthetics	1-18
	651.0109	References	1-18

Tables	Table 1-1	Typical characteristics of point and nonpoint sources of water pollution	1-5
	Table 1-2	Water quality criteria	1-11
	Table 1-3	Example of a designated area classification system	1-12
	Table 1-4	Selected primary and secondary drinking water standards as specified by the EPA	1-14
	Table 1-5	Maximum allowable concentrations of selected constituents in raw water supplies for industrial use (mg/L)	1-15
	Table 1-6	Recommended limits of concentration of some potentially toxic substances in drinking water for livestock	1-16
	Table 1-7	Desired and potential problem levels of pollutants in livestock water supplies	1-16
	Table 1-8	Effect of salinity of drinking water on livestock and poultry	1-17

Chapter 2

Planning Considerations

Contents:	651.0200	Introduction	2-1
	651.0201	Planning for protection of natural resources	2-2
		(a) Soil	2-2
		(b) Water	2-2
		(c) Air	2-2
		(d) Plants	2-3
		(e) Animals.....	2-3
		(f) Social	2-3
		(g) Cultural.....	2-3
		(h) Economic	2-3
	651.0202	Conservation planning process	2-4
		(a) Identify the problem	2-4
		(b) Determine the objectives	2-4
		(c) Inventory the resources	2-4
		(d) Analyze the resource data.....	2-8
		(e) Formulate alternative solutions	2-8
		(f) Evaluate alternative solutions	2-9
		(g) Client determines a course of action.....	2-9
		(h) Client implements the plan	2-10
		(i) Evaluation of the results of the plan	2-10
	651.0203	AWMS plan	2-10
		(a) Purpose of the plan.....	2-10
		(b) Contents of the plan	2-10
	651.0204	Waste impoundment planning considerations	2-11
		(a) Potential risk from sudden breach of embankment or accidental	2-11
		releases of waste impoundments	
		(b) Potential hazard of liner failure for waste impoundments	2-12
		(c) Potential impact from odors and gaseous emissions from waste	2-13
		impoundments	

Table	Table 2-1	Potential impact categories from breach of embankment or accidental release	2-12
--------------	------------------	---	------

Figures	Figure 2-1	Relationship of an Agricultural Waste Management System, other management systems, and the Resource Management System	2-1
----------------	-------------------	---	-----

	Figure 2-2	Resource considerations	2-2
--	-------------------	-------------------------	-----

	Figure 2-3	Analyzing resource data and formulating alternative solutions using the six functions of an Agricultural Waste Management System	2-9
--	-------------------	--	-----

Chapter 3

Agricultural Wastes and Water, Air, and Animal Resources

Contents:	651.0300	Introduction	3-1
	651.0301	Pollution versus contamination	3-1
	651.0302	Effects of animal waste on the water resource	3-2
		(a) Constituents affecting surface water quality	3-2
		(b) Constituents affecting ground water quality	3-15
	651.0303	Factors affecting the pollution process	3-17
		(a) Pathways to pollution	3-17
		(b) Transformations on the soil surface	3-17
		(c) Filtering in the upper soil layer	3-17
		(d) Transformations within the deep soil profile	3-18
	651.0304	Controlling the pollution process	3-19
		(a) Limiting availability	3-19
		(b) Preventing detachment	3-20
		(c) Interrupting transport	3-20
	651.0305	Effects of animal waste on the air resource	3-21
	651.0306	Effects of animal waste on the animal resource	3-22
	651.0307	Conservation practice physical effects	3-23
	651.0308	Summary	3-24
	651.0309	References	3-24

Tables			
	Table 3-1	A sampling of influent BOD ₅ concentrations and range of effluent concentration for various types of anaerobic lagoons	3-3
	Table 3-2	Concentrations of total ammonia (NH ₃ + NH ₄) in mg/L that contain an un-ionized ammonia concentration of 0.020 mg/L NH ₃	3-5
	Table 3-3	Estimated concentrations of total dissolved nitrogen in runoff from land with and without livestock and poultry manure surface applied	3-7
	Table 3-4	Estimated dissolved phosphorus concentrations in runoff from land with and without animal wastes surface applied	3-11
	Table 3-5	Diseases and organisms spread by animal manure	3-14
	Table 3-6	Typical allowable limits for fecal coliform bacteria based on water use	3-15
	Table 3-7	Typical fecal coliform to fecal streptococcus ratios (as excreted) for several animal species	3-15
	Table 3-8	Soil factors affecting infiltration and movement (leaching) of bacteria in soil	3-17
	Table 3-9	Properties and physiological effects of the most important gases produced from animal wastes in an anaerobic environment	3-21

Figures	Figure 3-1 Aerobic cycle of plant and animal growth and decomposition as related to nitrogen and carbon	3-4
	Figure 3-2 The nitrogen cycle	3-6
	Figure 3-3 Phosphorus inputs and losses at a waste application site and phosphorus transformation within the soil profile (abbreviated phosphorus cycle)	3-9
	Figure 3-4 Phosphorus retention and solubility as related to soil pH	3-10
	Figure 3-5 Lake trophic states based on model by Vollenweider	3-13
	Figure 3-6 Transformations on or in the soil	3-18
	Figure 3-7 Possible danger points in the environment from uncontrolled animal waste	3-25

Chapter 4

Agricultural Waste Characteristics

Contents:	651.0400	Introduction	4-1
		(a) Purpose and scope	4-1
		(b) Variations and ranges of data values	4-1
	651.0401	Definitions of waste characterization terms	4-1
	651.0402	Units of measure	4-5
	651.0403	Animal waste characteristics	4-6
		(a) "As excreted" manure	4-6
		(b) Foreign material in manure	4-7
		(c) Dairy	4-8
		(d) Beef	4-10
		(e) Swine	4-12
		(f) Poultry	4-14
		(g) Veal	4-16
		(h) Sheep	4-16
		(i) Horse	4-17
		(j) Rabbit	4-17
		(k) Flush water	4-18
	651.0404	Other wastes	4-18
		(a) Residential waste	4-18
		(b) Food wastes and wastewater	4-20
		(c) Silage leachate	4-23
	651.0405	References	4-23

Tables		
Table 4-1	Definitions and descriptions of waste characterization terms	4-2
Table 4-2	Factors for determining nutrient equivalency	4-6
Table 4-3	Unit weights of common bedding materials	4-7
Table 4-4	Daily bedding requirements for dairy cattle	4-7
Table 4-5	Dairy waste characterization — as excreted	4-8
Table 4-6	Dairy waste characterization — milking center	4-9
Table 4-7	Dairy waste characterization — lagoon	4-9
Table 4-8	Beef waste characterization — as excreted	4-10
Table 4-9	Beef waste characterization — feedlot manure	4-11
Table 4-10	Beef waste characterization — feedlot runoff pond	4-11
Table 4-10a	Nitrogen content of cattle feedlot runoff	4-11
Table 4-11	Swine waste characterization — as excreted	4-12
Table 4-12	Swine waste characterization — storage tanks under slats	4-13
Table 4-13	Swine waste characterization — anaerobic lagoon; feedlot runoff	4-13
Table 4-14	Poultry waste characterization — as excreted	4-14
Table 4-15	Poultry waste characterization — litter	4-15
Table 4-16	Poultry waste characterization — anaerobic lagoon	4-15
Table 4-17	Veal waste characterization — as excreted	4-16
Table 4-18	Lamb waste characterization — as excreted	4-16
Table 4-19	Horse waste characterization — as excreted	4-17
Table 4-20	Rabbit waste characterization — as excreted	4-17
Table 4-21	Human waste characterization — as excreted	4-18
Table 4-22	Residential waste characterization—household wastewater	4-19
Table 4-23	Municipal waste characterization — residential	4-19

Table 4-24	Dairy food processing waste characterization	4-20
Table 4-25	Dairy food waste characterization — processing wastewater	4-20
Table 4-26	Meat processing waste characterization — wastewater	4-21
Table 4-27	Meat processing waste characterization — wastewater sludge	4-21
Table 4-28	Vegetable processing waste characterization — wastewater	4-22
Table 4-29	Fruit and vegetable waste characterization — solid waste	4-22

Figures

Figure 4-1	Dairy manure solids production	4-10
Figure 4-2	Manure solids production vs. pig weight for growing swine	4-13
Figure 4-3	Curve to adjust broiler waste nitrogen concentration based on frequency of cleanout of litter	4-14

Chapter 5

Role of Soils in Waste Management

Contents:	651.0500 Introduction	5-1
	651.0501 Soil phases	5-1
	651.0502 Soil-agricultural waste interaction	5-2
	(a) Filtration	5-2
	(b) Biological degradation	5-3
	(c) Chemical reactions	5-3
	651.0503 Soil-agricultural waste mineralization relationship	5-4
	(a) Microbial activity	5-4
	(b) Nitrogen mineralization	5-5
	(c) Phosphate mineralization	5-6
	(d) Potassium, calcium, and magnesium mineralization	5-6
	(e) Heavy metal and trace element mineralization	5-6
	651.0504 Soil characteristics	5-7
	(a) Available water capacity	5-7
	(b) Bulk density	5-8
	(c) Cation-exchange capacity	5-8
	(d) Depth to bedrock or cemented pan	5-8
	(e) Depth to high water table	5-9
	(f) Flooding	5-9
	(g) Fraction greater than 3 inches in diameter—Rock fragments, stones, and boulders	5-10
	(h) Intake rate	5-10
	(i) Permeability rate	5-11
	(j) Soil pH	5-11
	(k) Ponding	5-11
	(l) Salinity	5-11
	(m) Slope	5-12
	(n) Sodium adsorption	5-12
	651.0505 References	5-19

Tables	Table 5-1	Common exchangeable soil cations and anions	5-4
	Table 5-2	Agricultural waste–soil permeability rate limitations	5-11
	Table 5-3	Soil characteristics and recommendations and limitations for land application of agricultural waste	5-13
Figures	Figure 5-1	Relationship between microbial respiration rate (maximum) and temperature	5-2
	Figure 5-2	Relationship of microbial respiration rate to temperature and moisture	5-2

Chapter 6

Role of Plants in Waste Management

Contents:	651.0600	Introduction	6-1
	651.0601	Agricultural waste as a resource for plant growth	6-1
	651.0602	The plant-soil system	6-2
		(a) Nutrient transformation	6-2
		(b) Soil supports plant growth	6-3
	651.0603	Plant nutrient uptake	6-4
		(a) Essential plant nutrients	6-4
		(b) Nonessential elements	6-4
		(c) Nitrogen	6-4
		(d) Phosphorus	6-4
		(e) Potassium, calcium, and magnesium	6-5
		(f) Sulfur	6-5
		(g) Trace elements	6-6
		(h) Synthetic organic compounds	6-7
	651.0604	Balancing plant nutrient needs with waste application	6-8
		(a) Deficiencies of plant nutrients	6-8
		(b) Excesses of plant nutrients, total dissolved solids, and trace elements	6-8
	651.0605	Application of agricultural waste	6-11
		(a) Field and forage crops	6-11
		(b) Horticultural crops	6-14
		(c) Vegetated filter strips for agricultural waste treatment	6-15
		(d) Forest land for agricultural waste treatment	6-16
	651.0606	Nutrient removal by harvesting of crops	6-17
		(a) Nutrient uptake calculation	6-18
		(b) Nutrient uptake example	6-18
	651.0607	References	6-23

Tables		
Table 6-1	Relative accumulation of cadmium into edible plant parts by different crops	6-6
Table 6-2	Recommended cumulative soil test limits for metals of major concern applied to agricultural cropland	6-7
Table 6-3	General effects of trace element toxicity on common crops	6-12
Table 6-4	Interaction among elements within plants and adjacent to plant roots	6-13
Table 6-5	Summary of joint EPA/FDA/USDA guidelines for sludge application for fruit and vegetable production	6-14
Table 6-6	Plant nutrient uptake by specified crop and removed in the harvested part of the crop	6-19

Figures		
Figure 6-1	The effects of different farming systems after three decades on the carbon content of soils from broken out sod ground	6-3
Figure 6-2	Effect of soil salinity on growth of field crops	6-9
Figure 6-3	Effect of soil salinity on growth of forage crops	6-10
Figure 6-4	Effect of soil salinity on growth of vegetable crops	6-10
Figure 6-5	Growth and nutrient uptake by corn	6-17

Chapter 7

Geologic and Ground Water Considerations

Contents:	651.0700	Introduction	7-1
	651.0701	Geologic factors affecting ground water flow and contamination	7-2
		(a) Ground water hydrology	7-2
		(b) Ground water velocity	7-3
		(c) Contaminant transport	7-4
		(d) Ground water geology	7-6
	651.0702	Ground water considerations in waste facilities component selection	7-9
		(a) Animal holding areas	7-9
		(b) Waste storage, handling, and treatment systems	7-10
		(c) Land application systems	7-11
	651.0703	Geotechnical considerations in waste facility siting	7-12
		(a) Engineering properties of soil and rock	7-12
		(b) Field investigation and soil sampling procedure	7-13
		(c) Pond seepage considerations	7-14
	651.0704	Ground water vulnerability	7-17
	651.0705	References	7-19

Tables	Table 7-1	Range of values of hydraulic conductivity	7-4
	Table 7-2	Range of values of porosity	7-9
	Table 7-3	Grouping of foundation soils according to their estimated field permeability	7-14
	Table 7-4	Unified classification versus soil group for permeability	7-15

Figure 7-1	Agricultural sources of potential ground water contamination	7-1
Figure 7-2	Aquifer types	7-2
Figure 7-3	Ground water flow paths used to calculate velocities with Darcy's Law	7-4
Figure 7-4	Transport and spreading of contaminants by advection and dispersion	7-5
Figure 7-5	Schematic diagram of aquifer occurrence in the glaciated regions of the Midwest and Great Plains physiographic provinces	7-6
Figure 7-6	Karst areas of the United States	7-8
Figure 7-7	Occurrence of permeability zones in fractured basalt	7-9

Chapter 8

Siting Agricultural Waste Management Systems

Contents:	651.0800 Introduction	8-1
	651.0801 Process and principles	8-1
	(a) Landscape elements	8-1
	(b) Siting the system	8-4
	651.0802 Design options	8-11
	(a) Water quality	8-11
	(b) Odor reduction	8-11
	(c) Temperature and moisture control	8-14
	(d) Aesthetic quality	8-16
	(e) Climatic conditions	8-24
	(f) Circulation	8-27
	651.0803 References	8-30
	651.0850 Appendix 8A—Checklist of siting factors for AWMS components	8-A1

Figures	Figure 8-1 If structures are sited below the horizon line, the landforms provide a backdrop for the structure and serve as a model for new earth mounds	8-2
	Figure 8-2 Structures projecting above the horizon are prominent features on this flat landscape	8-3
	Figure 8-3 The shoreline and reflective surface of this waste storage pond makes it appear to be a traditional farm pond	8-3
	Figure 8-4 Base map	8-5
	Figure 8-5 Site analysis diagram	8-7
	Figure 8-6 Concept plan	8-9
	Figure 8-7 Site plan	8-10
	Figure 8-8 Streamside measures improve water quality	8-12
	Figure 8-9 A vegetative screen between house (behind vegetative screen) and swine operation traps dust particles	8-13

Figure 8-10	Topography and vegetation can uplift winds to disperse odor	8-13
Figure 8-11	Vegetation modifies temperature in various ways	8-14
Figure 8-12	Orientation can influence the amount of internal sun-heat generated within buildings	8-15
Figure 8-13	Aesthetic quality is often important to the farm family	8-16
Figure 8-14	Retrofitting to serve current needs can be a viable alternative	8-17
Figure 8-15	A nearby road and contrasting concrete liner make this waste storage pond highly visible	8-18
Figure 8-16	Farmstead buildings effectively block views to a waste storage pond	8-19
Figure 8-17	Vegetation can quickly restore a construction site	8-20
Figure 8-18	Common vegetative patterns	8-21
Figure 8-19	Vegetation surrounding this recently construction waste storage pond provides a screen	8-21
Figure 8-20	Newly planted trees and shrubs can blend farmhouse and nearby waste storage tank	8-22
Figure 8-21	Slope rounding and reduction help to blend landforms onto the landscape	8-23
Figure 8-22	An aboveground storage tank is inconspicuous on this highly scenic landscape	8-24
Figure 8-23	Fence porosity affects snow deposition	8-25
Figure 8-24	The combination of fence and windbreak plantings greatly enhances the pattern of snow and soil deposition	8-26
Figure 8-25	Fences affect snow and soil deposition around buildings	8-26
Figure 8-26	Alternative location for waste storage pond improves circulation and enhances cropland production	8-28
Figure 8-27	Farmstead roads consolidated to improve operations	8-29

Chapter 9

Agricultural Waste Management Systems

Contents:	651.0900	Introduction	9-1
	651.0901	Total systems	9-1
	651.0902	Interface with other systems	9-2
	651.0903	Waste consistency	9-2
	651.0904	Waste management functions	9-3
		(a) Production	9-3
		(b) Collection	9-3
		(c) Storage	9-3
		(d) Treatment	9-4
		(e) Transfer	9-4
		(f) Utilization	9-4
	651.0905	Waste management systems design	9-5
	651.0906	Typical agricultural waste management systems	9-7
		(a) Dairy waste management systems	9-7
		(b) Beef waste management systems	9-13
		(c) Swine waste management systems	9-17
		(d) Poultry waste management systems	9-23
		(e) Other animals	9-27
		(f) Municipal and industrial sludge and wastewater application systems ..	9-27
		(g) Food processing waste	9-28
		(h) Agricultural chemical waste management	9-28

Figures		
Figure 9-1	Relative handling characteristics of different kinds of manure an dpercent total solids	9-1
Figure 9-2	Waste management functions	9-3
Figure 9-3	Waste handling options—dairy	9-6
Figure 9-4	Livestock waste management on pasture includes cross fences for rotation, portable feeding facilities, shade areas away from streams, alternate water facilities, and controlled stream crossing	9-7
Figure 9-5	Confinement area with curbing	9-8
Figure 9-6	Aboveground waste storage structure	9-9
Figure 9-7	Storage facilities	9-10
Figure 9-8	Tank wagon used to spread liquid wastes from below ground storage structure	9-10
Figure 9-9	Freestall barn with flushing alleyway and irrigation system	9-11
Figure 9-10	Waste handling options—beef	9-12
Figure 9-11	Waste collection from an unpaved beef feedlot	9-13
Figure 9-12	Storage facilities for wastes from paved feedlot in high precipitation area	9-15
Figure 9-13	Waste handling options—swine	9-16
Figure 9-14	Runoff control	9-17
Figure 9-15	Manure scraped and handled as a solid on paved lot operation	9-18
Figure 9-16	Confined housing with farrowing crates, partly slatted floor, pit storage, and liquid manure handling	9-19
Figure 9-17	Fed hogs in confined area with concrete floor and tank storage liquid manure handling	9-20
Figure 9-18	Two stage aerobic lagoon system for treatment of waste flushed from swine building	9-21
Figure 9-19	Waste handling options—poultry	9-22

Figure 9-20	Litter system for broilers and turkeys	9-23
Figure 9-21	Manure accumulates under cages in “high-rise” house for layers	9-24
Figure 9-22	Litter from poultry operations may be stored on the floor of the facility until scraped after several cycles of birds	9-25
Figure 9-23	Solid waste may be scraped regularly (possibly by mechanical scraper) from facility for transport to the field	9-25
Figure 9-24	Waste handling options—sheep	9-26

Chapter 10

Agricultural Waste Management System Component Design

Contents:	651.1000	Introduction	10-1
	651.1001	Production	10-1
		(a) Roof runoff management	10-1
		(b) Runoff control	10-3
	651.1002	Collection	10-4
		(a) Alleys	10-4
		(b) Gutters	10-6
		(c) Slatted floors	10-8
	651.1003	Storage	10-11
		(a) Waste storage facilities for solids	10-11
		(b) Liquid and slurry waste storage	10-16
	651.1004	Treatment	10-27
		(a) Anaerobic lagoons	10-27
		(b) Aerobic lagoons	10-35
		(c) Mechanically aerated lagoons	10-39
		(d) Oxidation ditches	10-41
		(e) Drying/dewatering	10-41
		(f) Composting	10-42
		(g) Mechanical separation	10-62
		(h) Settling basins	10-64
		(i) Dilution	10-66
		(j) Vegetative filters	10-66
	651.1005	Transfer	10-67
		(a) Reception pits	10-67
		(b) Gravity flow pipes	10-68
		(c) Push-off ramps	10-68
		(d) Picket dams	10-68
		(e) Pumps	10-70
		(f) Equipment	10-70

651.1006	Utilization	10-71
	(a) Nutrient management	10-71
	(b) Land application equipment	10-72
	(c) Land application of municipal sludge	10-72
	(d) Biogas production.....	10-72
651.1007	Ancillary components	10-78
	(a) Fences	10-78
	(b) Dead animal disposition.....	10-78
	(c) Human waste management	10-79
651.1008	Safety	10-80
	(a) Confined areas	10-80
	(b) Aboveground tanks	10-81
	(c) Lagoons, ponds, and liquid storage structures.....	10-81
	(d) Equipment	10-81
651.1009	References	10-82
651.1050	Appendix 10A—Blank worksheets	10A-1
651.1060	Appendix 10B—Rainfall intensity maps	10B-1
651.1070	Appendix 10C—Runoff from feedlots and evaporation	10C-1
	(a) Runoff	10C-1
	(b) Evaporation	10C-1
651.1080	Appendix 10D—Geotechnical design and construction guidelines for waste impoundment liners	10D-1

Tables	Table 10-1	Recommended total daily flush volumes	10-5
	Table 10-2	Flush tank volumes and discharge rates	10-5
	Table 10-3	Minimum slope for flush alleys	10-5
	Table 10-4	Sludge accumulation ratios	10-30
	Table 10-5	Minimum top width for lagoon embankments	10-30

Table 10-6	Typical carbon to nitrogen ratios of common composting amendments	10-47
Table 10-7	Poultry mortality rates	10-60
Table 10-8	Broiler compost mix	10-60
Table 10-9	Operational data for solid/liquid separators	10-65
Table 10-10	Characteristics of solid/liquid separators	10-65

Figures

Figure 10-1	Roof gutter and downspout	10-1
Figure 10-2	Diversion of "clean" water around feedlot	10-4
Figure 10-3	Scrape alley used in dairy barns	10-4
Figure 10-4	Dairy flush alley	10-6
Figure 10-5	Swine flush alley	10-6
Figure 10-6	Flush tanks	10-7
Figure 10-7	Flush and gravity flow gutters for swine manure	10-8
Figure 10-8	Gravity gutter for dairy manure	10-9
Figure 10-9	Shuttle-stroke gutter cleaner	10-9
Figure 10-10	Chain and flight gutter cleaner	10-10
Figure 10-11	Concrete gang slats	10-10
Figure 10-12	Solid manure stacking facilities	10-12
Figure 10-13	Roofed solid manure storage	10-13
Figure 10-14	Cross section of waste storage pond without a watershed	10-16
Figure 10-15	Cross section of waste storage pond with watershed	10-17
Figure 10-16	Waste storage ponds	10-17
Figure 10-17	Layout of waste storage pond	10-18

Figure 10-18	Aboveground waste storage tank	10-19
Figure 10-19	Below ground waste storage structure	10-19
Figure 10-20	BASIC computer program for determining pond volume	10-26
Figure 10-21	Anaerobic lagoon cross section	10-28
Figure 10-22	Anaerobic lagoon loading rate	10-29
Figure 10-23	Anaerobic lagoon recycle systems	10-31
Figure 10-24	Aerobic lagoon cross section	10-35
Figure 10-25	Aerobic lagoon loading rate	10-36
Figure 10-26	Relation of dissolved oxygen saturation to water temperature	10-40
Figure 10-27	Relation of dissolved oxygen saturation to elevation above mean sea level	10-40
Figure 10-28	Numerical values for $O_t - 20$ at different temperatures where $O = 1.024$	10-40
Figure 10-29	Schematic of an oxidation ditch	10-41
Figure 10-30	Windrow schematic	10-42
Figure 10-31	Static pile composting schematic	10-43
Figure 10-32	In-vessel composting schematic	10-44
Figure 10-33	Compost mixture design flow chart	10-48
Figure 10-34	Composting temperature	10-55
Figure 10-35	Typical temperature rhythm of windrow method	10-56
Figure 10-36	Agricultural composting process flow	10-57
Figure 10-37	Dead animal composting bin	10-59
Figure 10-38	Recommended layering for dead bird composting	10-61
Figure 10-39	Schematic of mechanical solid-liquid separators	10-63
Figure 10-40	Design aid to determine quantity of water to add to achieve a desired TS concentration	10-66

Figure 10-41	Reception pit for dairy freestall barn	10-67
Figure 10-42	Examples of gravity flow transfer	10-69
Figure 10-43	Push-off ramp	10-70
Figure 10-44	Solid manure storage with picket dam	10-71
Figure 10-45	Two stage, mixed tank anaerobic digester	10-73
Figure 10-46	Typical anaerobic digester types	10-74
Figure 10-47	Gas agitation in an anaerobic digester	10-75
Figure 10-48	Poultry and suckling pig disposal pit constructed with 8" x 8" x 16" concrete blocks	10-78
Figure 10-49	Capacity requirements for poultry disposal pits for laying hens and turkeys	10-79

Chapter 11

Waste Utilization

Contents:	651.1100	Introduction	11-1
	651.1101	Waste consistency	11-2
		(a) Solid	11-2
		(b) Semi-solid.....	11-2
		(c) Slurry	11-2
		(d) Liquid	11-4
	651.1102	Land application	11-4
		(a) The conservation plan	11-4
		(b) Benefits of recycling	11-4
		(c) Application methods	11-5
		(d) Application management	11-10
	651.1103	Salinity	11-11
	651.1104	Plant nutrients	11-14
		(a) Nitrogen	11-14
		(b) Phosphorus	11-15
		(c) Potassium.....	11-15
	651.1105	Nutrient management	11-16
		(a) Nutrient losses	11-17
		(b) Nutrient mineralization	11-20
		(c) Nutrient requirements	11-22
		(d) Nutrient accounting.....	11-23
		(e) Accounting procedure	11-23
		(f) Adjustments for site characteristics	11-32
		(g) Rule-of-thumb estimates	11-33
	651.1106	References	11-36

Tables		
Table 11-1	Friction loss ratio, slurries vs. clean water	11-6
Table 11-2	Maximum application rate (in/hr)	11-6
Table 11-3	Reduction coefficients by percent solids	11-7
Table 11-4	Total salts and electrical conductivity for various waste material (Stewart 1975)	11-12
Table 11-5	Percent of original nutrient content of manure retained by various management systems	11-18
Table 11-6	Percentage of nitrogen of that in the applied manure still potentially available to the soil	11-19
Table 11-7	An estimate of inorganic nitrogen losses to leaching related to the soil Leaching Index	11-20
Table 11-8	Approximate manure— N denitrification estimates for various soils	11-21
Table 11-9	General mineralization rates for nitrogen, phosphorus, and potassium	11-22
Table 11-10	Rule-of-thumb estimate of available nutrients in manure from dairy cows by management system	11-33
Table 11-11	Rule-of-thumb estimate of available nutrients in manure from feeder swine by management system	11-34
Table 11-12	Rule-of-thumb estimate of available nutrients in manure from broilers and layers by management system	11-34
Table 11-13	Rule-of-thumb estimate of available nutrients in manure from feeder beef by management system	11-35

Figures		
Figure 11-1	Relative handling characteristics of different types of manure and percent total solids	11-2
Figure 11-2	Gallons of water required per cubic foot of material for dilution to pumping consistency	11-3
Figure 11-3	Acre inches pumped in given time at various pumping rates	11-9
Figure 11-4	Removal time for various cycle times and spreader capacities	11-10
Figure 11-5	Waste storage pond dilution factors for resulting low salinity on coarse textured soils	11-12
Figure 11-6	Waste storage pond dilution factors for resulting low salinity on medium textured soils	11-12
Figure 11-7	Waste storage pond dilution factors for resulting low salinity on fine textured soils	11-13
Figure 11-8	Maximum annual amount of undiluted waste storage pond water that can be added to a coarse (C), medium (M), or fine textured (F) soil	11-13
Figure 11-9	Distribution of nutrients between feces and urine	11-14
Figure 11-10	Example of a water budget for winter wheat	11-17
Figure 11-11	Nitrogen transformation in the accounting procedure	11-24

Chapter 12

Waste Management Equipment

Contents:	651.1200	Introduction and scope	12-1
	651.1201	Selecting waste handling equipment	12-1
	651.1202	Waste production equipment	12-9
		(a) Roof gutters (eave troughs) and downspouts	12-9
		(b) Roof drainage outlets	12-10
	651.1203	Waste collection equipment	12-11
		(a) Hand scrapers, shovels, brooms, washers	12-11
		(b) Tractor scraper blades	12-13
		(c) Lawn and garden size tractor scraping	12-14
		(d) Tractor front-end loaders	12-14
		(e) Skidsteer and articulated loaders	12-17
		(f) All-wheel drive front-end loader	12-18
		(g) Motor grader	12-19
		(h) Elevating type box scrapers	12-19
		(i) Mechanical scrapers for gutters and alleys	12-20
		(j) Conveyors and stackers	12-23
		(k) Flushed gutters and alleys	12-24
		(l) Air-pressure and vacuum waste pumping	12-29
		(m) Piston-plunger pumps	12-30
	651.1204	Waste storage equipment	12-32
		(a) Storage interior accessing	12-32
		(b) Storage exterior accessing	12-33
		(c) Storage fencing with gates	12-35
		(d) Covers, drainage, and runoff control	12-35
		(e) Storage seepage detection and control	12-38
	651.1205	Waste treatment equipment	12-40
		(a) Size reduction	12-40
		(b) Agitators, stirrers, mixers	12-43
		(c) Aerators	12-48
		(d) Separators	12-52
		(e) Dehydrator, incinerator, renderers	12-62

651.1206	Waste transfer equipment	12-65
	(a) Augers and conveyors	12-65
	(b) Pumps	12-66
651.1207	Waste utilization equipment	12-72
	(a) Hauled waste spreading equipment	12-72
	(b) Soil injection waste spreading equipment	12-81
	(c) Pumped waste spreading	12-84
	(d) Biogas production equipment	12-93
651.1208	Other associated equipment	12-98
	(a) Safety protection equipment	12-98
	(b) Gases and confined space entry	12-101
	(c) Odor detection/measurement equipment	12-104
	(d) Water quality testing equipment	12-106
651.1209	References	12-107

Tables	Table 12-1	Typical pressure washer manufacturer's data	12-12
	Table 12-2	Flushwater flow and pipe size—Maximum velocity = 2.5 ft/s	12-24
	Table 12-3a	Approximate capacities in cubic feet of rectangular storage	12-34
	Table 12-3b	Approximate capacities in cubic feet of circular storage	12-34
	Table 12-4	Picket dam construction	12-37
	Table 12-5	Blower and pipe sizing for pile aeration	12-51
	Table 12-6	Opening sizes for steel wire screens	12-56
	Table 12-7	Dryer performance with animal excreta	12-64
	Table 12-8	Auger (11 ft) speed, power, and capacity for water	12-66
	Table 12-9	Waste pump characteristics summary	12-67
	Table 12-10	Approximate waste spreader and tractor sizes	12-80
	Table 12-11	Irrigation system selection factors	12-84

	Table 12-12	Friction loss in 100 feet for 3- and 4-inch diameter pipe used to transport water	12-86
	Table 12-13	Maximum recommended flow rate in openings in gated pipe with holes spaced 30 to 40 inches apart	12-86
	Table 12-14	Sprinkler nozzle discharge in gallons per minute	12-88
	Table 12-15	Irrigation gun pressure, size, and discharge	12-92
Figures	Figure 12-1	Major equipment used in an agricultural waste management system	12-2
	Figure 12-2	Waste management typical component alternatives matrix	12-3
	Figure 12-3	Waste management system typical collection and transfer component selection matrix	12-6
	Figure 12-4	Waste management system typical storage component selection matrix	12-7
	Figure 12-5	Land application typical component selection matrix	12-8
	Figure 12-6	Roof gutter and downspout equipment	12-9
	Figure 12-7	Corrugated plastic drainpipe	12-10
	Figure 12-8	Hand tools used for waste collection	12-12
	Figure 12-9	Tractor rear scraper blade with vertical tilt	12-13
	Figure 12-10	Box type slurry blade scraper; rear-mounted model	12-13
	Figure 12-11	Tractor scraper blade using earthmover tire	12-14
	Figure 12-12	Lawn and garden tractor scraping equipment	12-14
	Figure 12-13	Tractor front-end loader measurements	12-15
	Figure 12-14	Tractor front-end loader attachments	12-16
	Figure 12-15	Skidsteer and articulated-steer type loaders	12-17
	Figure 12-16	All-wheel drive (agricultural bucket loader)	12-18

Figure 12-17	Telescopic, all-wheel drive bucket loader	12-19
Figure 12-18	Self-propelled elevator type scraper-hauler	12-20
Figure 12-19	Cable-drive scraper for open alley or under slat floor	12-21
Figure 12-20	Heavy-duty alley scraper, chain drive	12-22
Figure 12-21	Heavy-duty alley gutter cleaner with chain drive	12-22
Figure 12-22	Diamond-shaped concrete floor grooves	12-22
Figure 12-23	Gutter cleaner conveyor stacker that is cable supported	12-23
Figure 12-24	Hand operated storage gate flush control	12-25
Figure 12-25	Flushwater storage tank with dump-type release	12-25
Figure 12-26	Tall flushwater storage for five flushed alleys	12-26
Figure 12-27	Flushwater alley entry from 3- by 6-inch holes	12-27
Figure 12-28	Large-volume, low-pressure flush pump used in a recycle system	12-28
Figure 12-29	Cross gutter for alley flushwater collection	12-28
Figure 12-30	Air pressure chamber (pneumatic) waste pump	12-29
Figure 12-31	Vacuum solid waste collector and wood chipper	12-29
Figure 12-32	Vertical piston plunger waste pump with a pipe anchor	12-31
Figure 12-33	Horizontal shaft chopper-agitation pump	12-34
Figure 12-34	Reception storage or pumping and aboveground storage	12-35
Figure 12-35	Fabric membrane cover for open top storage	12-36
Figure 12-36	Picket dam for opentop storage drainage	12-37
Figure 12-37	Perforated pipe runoff seepage outlet	12-38
Figure 12-38	Membrane liner installation for earthen basin	12-39
Figure 12-39	Cutter-shredder for slurry waste	12-40
Figure 12-40	Belt-type shear shredder	12-41

Figure 12-41	Rotary shear shredder	12-41
Figure 12-42	Cutter blade on chopper-agitator pump	12-42
Figure 12-43	High capacity hammermill grinder	12-42
Figure 12-44	Large capacity engine powered tub grinder	12-42
Figure 12-45	Vertical shaft PTO-powered chopper-agitator pump	12-44
Figure 12-46	Chopper-agitator pump and open-impeller agitator	12-44
Figure 12-47	Float-mounted impeller agitator	12-44
Figure 12-48	Open impeller with long shaft agitators	12-44
Figure 12-49	Floating dredge agitator	12-44
Figure 12-50	Elevator scraper for solid waste agitation and hauling	12-45
Figure 12-51	Windrowed compost agitators/turners	12-47
Figure 12-52	Pug mill mixer for dense, solid waste	12-47
Figure 12-53	Batch mixers for solids mixing	12-47
Figure 12-54	Floating aerators for liquid waste aeration	12-48
Figure 12-55	Diffused-air liquid and slurry aerator	12-49
Figure 12-56	Oxidation wheel liquid waste aerator	12-50
Figure 12-57	Perforated duct placement for gravity aeration	12-50
Figure 12-58	Vane axial and centrifugal aeration blowers	12-52
Figure 12-59	Aeration for separated dairy waste solids	12-53
Figure 12-60	Belowground settling tank, liquid/solid separation	12-54
Figure 12-61	Wedgewire screen with sloped screen separator	12-55
Figure 12-62	Conveyor scraped screen mechanical separator	12-56
Figure 12-63	Internal drum rotating solid and liquid strainer	12-57
Figure 12-64	Screw-press type, cylinder separator	12-58
Figure 12-65	Piston type (double-acting) annular separator	12-58
Figure 12-66	Perforated pressure-roller solid/liquid separator	12-59

Figure 12-67	Vacuum filter separator	12-60
Figure 12-68	Centrifugal-centripetal solids/liquid separator	12-60
Figure 12-69	Trommel, rotating drum, solids separator	12-61
Figure 12-70	Sloped shaker screen solids separator	12-62
Figure 12-71	Continuous flow shallow tray dryer	12-63
Figure 12-72	Rotating drum type dryer/dehydrator	12-64
Figure 12-73	Incinerators for dead small animal disposal	12-65
Figure 12-74	Auger elevator slurry waste conveyor	12-66
Figure 12-75	Centrifugal pump impeller types	12-67
Figure 12-76	Hydraulic motor powered centrifugal chopper pump	12-68
Figure 12-77	Submersible and vertical shaft transfer pumps	12-70
Figure 12-78	Diaphragm pump	12-71
Figure 12-79	Helical rotor pump	12-72
Figure 12-80	Box spreader	12-73
Figure 12-81	Truck mounted box spreader	12-74
Figure 12-82	V-box bottom, side, or rear slinger spreader	12-75
Figure 12-83	Flail type side unload spreader	12-76
Figure 12-84	Conveyor self-loading waste spreader	12-76
Figure 12-85	V-bottom rear-unload broadcast spreader	12-77
Figure 12-86	Dump box truck solid waste hauling	12-77
Figure 12-87	Separate pump load tanker spreader	12-78
Figure 12-88	Tanker with PTO vacuum pump hose loading	12-79
Figure 12-89	Self-propelled tanker spreader	12-79
Figure 12-90	Baffle plate distributor on tanker spreaders	12-80
Figure 12-91	Tanker unload uniform discharge control	12-80
Figure 12-92	High pressure centrifugal pump	12-81

Figure 12-93	Approximate power for tanker and per injector	12-82
Figure 12-94	Tractor towed hose injector spreader	12-83
Figure 12-95	Vertical disc covers for injected waste	12-83
Figure 12-96	Total head (ft) equals elevation + pressure + friction	12-86
Figure 12-97	Gated pipe gravity irrigation	12-87
Figure 12-98	Handmove sprinkler	12-88
Figure 12-99	Towline sprinkler	12-88
Figure 12-100	Side-roll sprinkler	12-89
Figure 12-101	Stationary big-gun slurry sprinkler	12-90
Figure 12-102	Traveling gun sprinkler with soft and hard hoses	12-91
Figure 12-103	Traveling boom sprinkler/spreader	12-92
Figure 12-104	Center pivot sprinkler	12-93
Figure 12-105	Biogas production equipment	12-94
Figure 12-106	Biogas production equipment layout schematic	12-95
Figure 12-107	Biogas production equipment at the University of Missouri	12-95
Figure 12-108	Biogas equipment that has basin with fabric cover	12-96
Figure 12-109	Slow moving vehicle emblem	12-98
Figure 12-110	Safety alert symbol for agricultural equipment	12-99
Figure 12-111	Safety signs format	12-99
Figure 12-112	Fire extinguisher label	12-100
Figure 12-113	Hand-held electronic multigas detector	12-101
Figure 12-114	Air sampler with different gas detection tubes	12-102
Figure 12-115	Self contained breathing equipment	12-102
Figure 12-116	Supplied air respirator equipment	12-103
Figure 12-117	Tripod, winch, and harness	12-104

Figure 12-118	Odor measurement electronically	12-105
Figure 12-119	Scentometer for odor strength measurement	12-105
Figure 12-120	Butanol olfactometer for odor measurement	12-105
Figure 12-121	Water quality measurement electronically	12-106
Figure 12-122	Direct-reading portable nitrogen meter	12-107

Issued May 1996

The United States Department of Agriculture (USDA) prohibits discrimination in its programs on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, and marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (braille, large print, audiotape, etc.) should contact the USDA Office of Communications at (202) 720-2791 or (202) 720-7808 (TDD).

To file a complaint, write the Secretary of Agriculture, U.S. Department of Agriculture, Washington, DC 20250, or call (202) 720-7327 or (202) 720-1127 (TDD). USDA is an equal employment opportunity employer.

Chapter 13

Operation, Maintenance, and Safety

Contents:	651.1300	Introduction	13-1
	651.1301	Operation	13-1
		(a) Production function operation	13-1
		(b) Collection function operation	13-1
		(c) Storage function operation	13-2
		(d) Treatment function operation	13-3
		(e) Transfer function operation	13-4
		(f) Utilization function operation	13-5
	651.1302	Maintenance	13-6
		(a) Production function maintenance	13-7
		(b) Collection function maintenance	13-7
		(c) Storage function maintenance	13-7
		(d) Treatment function maintenance	13-8
		(e) Transfer function maintenance	13-9
		(f) Utilization function maintenance	13-9
	651.1303	Safety	13-10
		(a) Hazards from gases	13-10
		(b) Hazards with impoundments	13-13
		(c) Hazards in equipment operation	13-15
	651.1304	Agricultural waste management system plans	13-16
	651.1305	References	13-17
	651.1350	Appendix 13A—Calibrating Manure Spreaders	
	651.1360	Appendix 13B—Manure, Soil, and Plant Testing	
	651.1370	Appendix 13C—Operation, Maintenance, and Safety Guidelines	
	651.1380	Appendix 13D—Agricultural Waste Management System Troubleshooting Guideline	
	651.1390	Appendix 13E—Example Agricultural Waste Management System Plan	

Figures	Figure 13-1	Stage storage curve	13-2
	Figure 13-2	Maintenance of minimum treatment volume	13-4
	Figure 13-3	Manure spreader calibration	13-5
	Figure 13-4	Waste storage pond warning sign	13-7
	Figure 13-5	Confined space warning signs	13-12
	Figure 13-6	Waste storage pond safety features	13-14
	Figure 13-7	Personal safety equipment	13-15

Chapter 15

Computer Software and Models

Contents:	651.1500	Introduction	15-1
	651.1501	Pollutant loading models	15-1
	651.1502	Animal waste management software tool	15-2
	651.1503	Software procurement	15-2